

# PASSEXAM 問題集

更に上のクオリティ 更に上のサービス



1年で無料進級することに提供する  
<http://www.passexam.jp>

**Exam** : **2V0-642**

**Title** : VMware Certified  
Professional 6 - Network  
Virtualization 6.2 Exam

**Version** : Demo

1. In which VMware NSX use case would VXLAN NOT be required?

- A. Active/Active Datacenter
- B. NSX micro-segmentation
- C. Distributed Logical Routing
- D. L2 Bridging physical to virtual

**Answer: B**

**Explanation:**

Distributed Firewall (provides micro segmentation) can be turned on without VXLAN configured.

<https://www.vmguru.com/2015/06/how-to-install-micro-segmentation-on-your-vsphere-cluster-a-step-by-step-guide/>

2. Which is required to support unicast mode in NSX?

- A. Hardware VTEP
- B. NSX Controller
- C. NSX Edge
- D. Distributed Logical Router

**Answer: D**

**Explanation:**

Controller cluster (if using unicast, hybrid mode or distributed logical routing)

[https://docs.vmware.com/en/VMware-NSX-for-vSphere/6.2/nsx\\_62\\_troubleshooting.pdf](https://docs.vmware.com/en/VMware-NSX-for-vSphere/6.2/nsx_62_troubleshooting.pdf)

3. What needs to be deployed before configuring the identify Firewall?

- A. Guest Introspection
- B. Data Security
- C. Network hit inspection
- D. LDAP Integration


**Answer: A**

**Explanation:**

Installing Guest Introspection installs a new vib and a service virtual machine on each host in the cluster. Guest Introspection is required for NSX Data Security, Activity Monitoring, and several third-party security solutions.

<https://pubs.vmware.com/NSX-61/index.jsp#com.vmware.nsx.install.doc/GUID-62B22E0C-ABAC-42D8-93AA-BDFCD0A43FEA.html>

4. Which would best describe a workload in Compute Cluster 1 attached to a logical switch port group?



- A. Within Compute Cluster 1, Layer 2 would fail and Layer 3 would fail
- B. Within Compute Cluster 1. Layer 2 would function, but Layer 3 would fail
- C. Within Compute Cluster 1, Layer 2 would function, and Layer 3 would function
- D. Within Compute Cluster 1, Layer 2 would fail, but Layer 3 would function

**Answer:** A

**Explanation:**

This has an interesting side effect: if you didn't add all clusters of a given VDS to the TZ, those clusters you haven't added will still have access to that Logical Switch. Let's have a look at the following diagram:

5. When creating a new security policy how is the default weight determined?

- A. The default weight is equal to the highest defined weight plus 1000.
- B. The default weight is incremented by 100, starting at 0.
- C. The default weight is equal to the highest defined weight minus 1000
- D. The default weight is equal to the highest defined weight

**Answer:** A

**Explanation:**

NSX assigns a default weight (highest weight +1000) to the policy. For example, if the highest weight amongst the existing policy is 1200, the new policy is assigned a weight of 2200.

<https://pubs.vmware.com/NSX-6/index.jsp?topic=%2Fcom.vmware.nsx.admin.doc%2FGUID-607C399F-0D11-4B95-90DA-A6E17E8C906E.html>