## PASSEXAM 問題集

更に上のクオリティ 更に上のサービス













1年で無料進級することに提供する http://www.passexam.jp Exam : A00-251

**Title**: Administering SAS Viya 3.5

**Version**: DEMO

1. Where would you set or change the shared vault location"?

A. using CLI: sas-admin backup configuration

B. using CLI: sas-admin backup update

C. in SAS Environment Manager Configuration backup-agent configuration


D. in SAS Environment Manager Configuration Backup service configuration

Answer: B


## 2.HOTSPOT

(\*\*Note: This is an interactive item follow the instructions to answer the question Scroll bars may appear if the window is too small You may click anywhere on the exhibit Your answer choice will be marked with 0 plus sign (+). You can relocate the plus sign to change your answer.)

Click on the row of the identity that is not known to the Identities microservice.



## Answer:



3.If you want to add a CAS worker to an MPP environment and apply the latest hotfixes at the same time, which playbook should you use?

- A. apply-license yml
- B. site yml
- C. deploy-viya yml
- D. deploy-casworker yml

Answer: D

Answer:

## **4.DRAG DROP**

(\*\*Note: This is an interactive item Follow the instructions to answer the question Scroll bars may appear if the windows are too small Each window can be re-sized by dragging on the 5 circles located between windows)

Drag the server and service groups from left to right and order them from top to bottom in the order in which they should be STOPPED.

SAS Infrastructure Data Servers	Answer Area	
		FIRST
SAS Secrets Manager instances		
SAS Message Broker instances		
CAS servers		
SAS Configuration Server instances		
Microservices		
		LAST

SAS Infrastructure Data Servers	Answer Area	
373 Illiastracture Data Scrivers	SAS Message Broker instances	FIRST
SAS Secrets Manager instances		]
	CAS servers	
SAS Message Broker instances	CAC Cocrete Manager instances	]
CAS servers SAS Configuration Server instances	SAS Secrets Manager instances	
	SAS Infrastructure Data Servers	
		]
Migraconvigos	Microservices	
Microservices	SAS Configuration Server instances	LAST

5. Which URI controls authorizations to access a content folder's descendant or children content?

- A. parent URI
- B. object URI
- C. container URI
- D. inheritance URI

Answer: A