

更に上のクオリティ 更に上のサービス



Exam : C1000-175

Title:Foundations of IBM SecurityQRadar SIEM V7.5

Version : DEMO

1. Which of the following deployment options are available for QRadar?

- A. On-premise only
- B. Cloud-only
- C. Hybrid (Cloud and On-premise)
- D. Peer-to-peer network

Answer: BC

2. Which feature distinguishes QRadar Network Insights (QNI) from QRadar Incident Forensics (QIF)?

- A. QNI analyzes and enriches flow data in real-time.
- B. QIF allows for replaying and analyzing past network traffic.
- C. QNI requires direct access to the network hardware.
- D. QIF focuses exclusively on flow data analysis.

Answer: A

3. Which type of rule is specifically designed to detect patterns over time rather than in single events or flows?

- A. Anomaly detection rule
- B. Behavioral rule
- C. Threshold rule
- D. Correlation rule
- Answer: C

4. You need to use Ariel Query Language to select the default columns from events.

Which is the correct query?

- A. SELECT % FROM events
- B. SELECT * FROM events
- C. SELECT ALL FROM events
- D. SELECT defaultcolumns from events
- Answer: B

5. What happens to custom DSMs when upgrading a QRadar system?

- A. Custom DSMs are renamed during the upgrade.
- B. Custom DSMs remain the same during the upgrade.
- C. Custom DSMs are automatically updated to the latest version.
- D. Custom DSMs are replaced with default DSMs during the upgrade.

Answer: B