

PASSEXAM 問題集

更に上のクオリティ 更に上のサービス



1年で無料進級することに提供する
<http://www.passexam.jp>

Exam : **CCJE**

Title : Certified CloudBees Jenkins
Engineer (CCJE)

Version : DEMO

- 1.The Jenkins Install Wizard allows you to_____.
- A. define the security settings of the Jenkins instance you are installing
 - B. define an admin user for Jenkins
 - C. define non-admin users for Jenkins
 - D. completely define the security and notification settings of the Jenkins instance you are installing
 - E. define executor agents

Answer: A

- 2.Which of the following "agent" directives are not valid in Declarative Pipeline?
- A. agent {dockerfile {filename * Dockerfile' }}
 - B. agent docker
 - C. agent none
 - D. agent { label " linux }
 - E. agent { docker ' centos: latest ' }

Answer: B

3.You have a project X that depends on project Y, which in turn depends on project Z. You are working on project Z. A build of X reported that feature team Y.jar, which they are using, causes a NullPointerException. What Jenkins feature tells you, as a member of team Z, which builds are using (or not using) feature team Y.jar build #32?

- A. The "Fingerprint" feature.
- B. The "Archive the artifacts" post-build action.
- C. The Jenkins Blueprint feature.
- D. This can only be done if you install the Build Analysis plugin.

Answer: C

4.You are using the Jenkins CLI to communicate with a remote Jenkins master. Which are valid ways to authenticate your identity to gain access? Choose 2 answers

- A. A Jenkins user's username and password or API token.
- B. A Jenkins user's username and GitHub API token.
- C. A Jenkins user's username and Kerberos token.
- D. An SSH key matching an entry in the authorized_keys file of the user account that the Jenkins master process runs "as".
- E. An SSH key matching a Jenkins user's public key.

Answer: A,C

5.What happens to all associated configuration metadata (on jobs, builds, etc) after a plugin is uninstalled?

- A. Nothing happens. The data remains on the persisted form of the configuration until the next save of that Rem (job, etc.).
- B. It is deleted on the next restart of Jenkins.
- C. It is deleted on the next configuration reload.
- D. It is deleted immediately.
- E. The data is backed up and then deleted from the live configuration.

Answer: A