

更に上のクオリティ 更に上のサービス



Exam : 250-445

Title: Administration of SymantecEmail Security.cloud - v1

Version : DEMO

1.Which quarantine settings are able to be managed within the Administrator Quarantine for Email Security.cloud?

- A. Domain Block Lists
- B. End User Block Lists
- C. Data Protection Policies

D. Anti-Spam Scanning Settings

Answer: D

Explanation:

Reference: https://help.symantec.com/cs/SMG_10_6_6/SMG/v5747403_v125807409/Quarantine-Settings?locale=EN_US

2.What is the standard Time to Live (TTL) for an MX Record?

- A. 12-24 hours
- B. 8 hours
- C. 24-48 hours
- D. 72 hours

Answer: A

Explanation:

Reference: https://help.dyn.com/ttl/

3. Which type of assessment is unavailable within Phishing Readiness?

- A. Whaling Attack
- B. Open / Click
- C. Attachment
- D. Data Exposure
- Answer: A

Explanation:

Reference: https://knowledge.broadcom.com/external/article/150736/symantec-phishing-readiness-faq.html

4. Where does Email Security.cloud reside when it is deployed?

- A. Office 365
- B. Company Private Cloud
- C. Wide Area Network
- D. Local Area Network

Answer: A

Explanation:

Reference:

https://www.it-klinika.rs/blog/uporedna-analiza-koliko-je-symantec-dobar-u-zastiti-vaseg-imejla/ email-security-cloud-en.pdf

5.What is the purpose of checking for Sender Policy Framework (SPF) Records in regards to email security?

A. To ensure that the SMTP connection is encrypted

- B. To help validate domain ownership
- C. To help validate recipient email addresses
- D. To ensure that incoming emails are RFC compliant

Answer: D

Explanation:

Reference: https://knowledge.broadcom.com/external/article?legacyId=TECH226211